

**(EKC04-KU-001E)**

- Which of the following will happen when data is entered into a memory location?
  - A) It will add to the content of the location
  - B) It will change the address of the memory location
  - C) It will erase the previous content
  - D) It will not be fruitful if there is already some data at the location

**(EKC04-KU-002E)**


- A storage area used to store data to compensate for the difference in speed at which the different units can handle data is
  - A) Memory
  - B) Buffer
  - C) Accumulator
  - D) Address

**(EKC04-KU-003E)**

- To locate a data item for storage is
  - A) Field
  - B) Feed
  - C) Database
  - D) Fetch

**(EKC04-KU-004E)**

- All modern computer operate on
  - A) Information
  - B) Floppies
  - C) Data
  - D) Word



**(EKC04-KU-005E)**

- An error in computer data is called
  - A) Chip
  - B) Bug
  - C) CPU
  - D) Storage device

**(EKC04-KU-006E)**

- Any method for controlling access to or use of memory is known
  - A) Memory map
  - B) Memory protection
  - C) Memory management
  - D) Memory instruction

**(EKC04-KU-007E)**

- Which of the following is true?
  - A) Fields are composed of bytes
  - B) Records are composed of fields
  - C) Fields are composed of characters
  - D) All of above

**(EKC04-KU-008E)**

- Which of the following file organization is most efficient for a file with a high degree of file activity?
  - A) Sequential
  - B) ISAM
  - C) VSAM
  - D) B-Tree Index



PARHO AUR  
**Chaajao**

**(EKC04-KU-009E)**

- Which of the following is not a function of the database?
  - A) Managing stored data
  - B) Manipulating data
  - C) Security for stored data
  - D) Analyzing code

**(EKC04-KU-010E)**


- A method of implementing a memory management system is
  - A) Buddy system
  - B) Bridge ware
  - C) Broadband coaxial system
  - D) All of the above

**(EKC04-KU-011E)**

- The number of characters that can be stored in given physical space is
  - A) Word length
  - B) Byte
  - C) Data density
  - D) Field

**(EKC04-KU-012E)**

- Condensing output data to exhibit specific information is
  - A) Calculating
  - B) Recording
  - C) Merging
  - D) Summarizing



PARHO AUR  
**Chaajao**

**(EKC04-KU-013E)**

- One of a class of storage device devices that can access storage locations in any order is
  - A) DTE
  - B) DASD
  - C) DDE
  - D) DDE

**(EKC04-KU-014E)**


- Properly arranged data is called
  - A) Field
  - B) Words
  - C) Information
  - D) File

**(EKC04-KU-015E)**

- The Width of a processor's data path is measured in bits. Which of the following are common data paths?
  - A) 8 bits
  - B) 12 bits
  - C) 16 bits
  - D) 32 bits

**(EKC04-KU-016E)**

- A name or number used to identify a storage location is called
  - A) A byte
  - B) A record
  - C) An address
  - D) All of above



PARHO AUR  
**ChaaJao**

**(EKC04-KU-017E)**

- The two basic types of record access methods are:
  - A) Sequential and random
  - B) Sequential and indexed
  - C) Direct and immediate
  - D) Online and real time

**(EKC04-KU-018E)**


- What is the full form of DBMS?
  - A) Data of Binary Management System
  - B) Database Management System
  - C) Database Management Service
  - D) Data Backup Management System

**(EKC04-KU-019E)**

- Who created the first DBMS?
  - A) Edgar Frank Codd
  - B) Charles Bachman
  - C) Charles Babbage
  - D) Sharon B. Codd

**(EKC04-KU-020E)**

- Which of the following is not a type of database?
  - A) Hierarchical
  - B) Network
  - C) Distributed
  - D) Decentralized



Answers Key	
1	B
2	B
3	D
4	C
5	B
6	B
7	D
8	A
9	D
10	A
11	C
12	D
13	B
14	C
15	A
16	C
17	A
18	B
19	B
20	D

Chaajao



PARHO AUR  
**Chaaajao**